

PRODUCT DATA SHEET

FlexiTog®



SentiFlex Handschuhe (im 12er-Pack erhältlich)

Allzweckhandschuh aus 18-Gauge-Nylon, PU-beschichtet für Abriebfestigkeit.

Ref: 4083702

Variants: 7 , 9 , 11 , 8 , 10

Area of use: Cold Weather / Ambient

Gender: Unisex

Updated On: 24/06/2025

Email: sales@flexitog.com
Phone: +31 174 705 840
Website: <https://www.flexitog.eu>

FlexiTog UK
FlexiTog UK Ltd
The Granary Business Park
School Road, Neatishead
Norfolk
NR12 8BU
United Kingdom

FlexiTog EU
Graandijk 1
5704 RB Helmond
Netherlands

PRODUCT DATA SHEET

FlexiTog[®]



Email: sales@flexitog.com
Phone: +31 174 705 840
Website: <https://www.flexitog.eu>

FlexiTog UK
FlexiTog UK Ltd
The Granary Business Park
School Road, Neatishead
Norfolk
NR12 8BU
United Kingdom

FlexiTog EU
Graandijk 1
5704 RB Helmond
Netherlands

PRODUCT DATA SHEET

The logo for FlexiTog, featuring the brand name in a white, bold, sans-serif font with a registered trademark symbol, set against a solid red rectangular background.

Commodity Code	61161080 Mittens and mitts, impregnated, coated, covered or laminated with plastics or rubber, knitted or crocheted, and gloves, impregnated, coated, covered or laminated with plastics, knitted or crocheted
Country of Origin	China

Email: sales@flexitog.com
Phone: +31 174 705 840
Website: <https://www.flexitog.eu>

FlexiTog UK
FlexiTog UK Ltd
The Granary Business Park
School Road, Neatishead
Norfolk
NR12 8BU
United Kingdom

FlexiTog EU
Graandijk 1
5704 RB Helmond
Netherlands

OVERVIEW

- Ultradünner Handschuh in 18 Gauge für höchste Fingerfertigkeit und Atmungsaktivität. PU-beschichtet für Abriebfestigkeit
- Leicht, atmungsaktiv, geschmeidig, dehnbar und äußerst griffig.
- Elastischer Strickbund.
- PU-Beschichtung sorgt für guten Griff bei der Handhabung.
- Fusselfreie Konstruktion für minimale Verunreinigungen

Material: 18-Gauge-Strickhandschuh aus Nylon mit 3/4-PU-Beschichtung.

Konformität: Handschuh für allgemeine Arbeiten, EN388 3.1.2.1

Farbe: Blau/Schwarz

Größen: S/7, M/8, L/9, XL/10 und XXL/11