

# PRODUCT DATA SHEET

**FlexiTog®**



## GENERAL PURPOSE DIPPED PALM GLOVE FG115

General handling glove for warehouse and pickers.

Ref: [FT]FG115

Variants: M , L , XL

Area of use: Chiller+5 to -5°C , Cold Weather / Ambient

Job role: Picker

Gender: Unisex



Certification 1: EN 388:2016+A1:2018  
2 1 3 1 X

Updated On: 01/08/2025

# PRODUCT DATA SHEET

The logo for FlexiTog, featuring the brand name in a white, bold, sans-serif font on a red rectangular background.

<b>Weight</b>	0.09 kg
<b>Product Material</b>	Acrylic
<b>Packaging</b>	Cardboard Box
<b>Storage Instructions</b>	Store in a dry place protect against high temperatures and uv rays exposure, once removed from the original packaging, it can be stored in a cupboard.
<b>User Instructions</b>	Keep this item of PPE fastened when in use, for cold protection efficiency. PPE thermal insulation can be affected by an inappropriate cleaning. Do not remove the care label. Make sure the garment is in good condition, undamaged and clean before use. Once you become aware of damage to this item, you should immediately replace it.
<b>Commodity Code</b>	61161020 Gloves, impregnated, coated, covered or laminated with rubber, knitted or crocheted
<b>Country of Origin</b>	China

Email: [sales@flexitog.com](mailto:sales@flexitog.com)  
Phone: +31 174 705 840  
Website: <https://www.flexitog.eu>

FlexiTog UK  
FlexiTog UK Ltd  
The Granary Business Park  
School Road, Neatishead  
Norfolk  
NR12 8BU  
United Kingdom

FlexiTog EU  
Graandijk 1  
5704 RB Helmond  
Netherlands

Fortdr  
Duisbu  
57234  
Germa

# PRODUCT DATA SHEET



## OVERVIEW

---

- Latex splash coated - Better grip and allows moisture to wick away from palm.
- Elasticated wrist - Increased wearer comfort.
- 10 gauge acrylic Wrist binding, increased durability and wear.
- One piece construction, no broken seams.
- Certified to EN388.