

# PRODUCT DATA SHEET

**FlexiTog®**



## KLASSISCHER ACRYL - INNENHANDSCHUH FG301

Hochwertiger Acryl - Innenhandschuh mit doppelt verstärktem Bund.

Ref: FG301

Variants: L

Area of use: Cold Store / Freezer -5 to -50°C , Chiller+5 to -5°C

Job role: Driver , Picker

Gender: Unisex



Certification 1: CE  
Minimal Risk

Updated On: 08/08/2025

# PRODUCT DATA SHEET

The logo for FlexiTog, featuring the brand name in a white, bold, sans-serif font on a red rectangular background.

<b>Weight</b>	0.04 kg
<b>Product Material</b>	Acrylic
<b>Packaging</b>	Cardboard Box
<b>Storage Instructions</b>	Store in a dry place protect against high temperatures and uv rays exposure, once removed from the original packaging, it can be stored in a cupboard.
<b>User Instructions</b>	Keep this item of PPE fastened when in use, for cold protection efficiency. PPE thermal insulation can be affected by an inappropriate cleaning. Do not remove the care label. Make sure the garment is in good condition, undamaged and clean before use. Once you become aware of damage to this item, you should immediately replace it.
<b>Colours</b>	Black
<b>CAT</b>	I
<b>DoC</b>	The PPE detailed herein meets the criteria of Article 19(a) Risk Category I: internal production control (module A) set out in Annex IV, in accordance with PPE Regulation (EU) 2016/425, (UK only) as brought into UK law and amended Essential Health and Safety Requirements.
<b>Commodity Code</b>	61169900 Gloves, mittens and mitts, of textile materials, knitted or crocheted (excl. of wool, fine animal hair, cotton or synthetic fibres, impregnated, coated, covered or laminated with plastics or rubber, and for babies)
<b>Country of Origin</b>	Pakistan

Email: [sales@flexitog.com](mailto:sales@flexitog.com)  
Phone: +31 174 705 840  
Website: <https://www.flexitog.eu>

FlexiTog UK  
FlexiTog UK Ltd  
The Granary Business Park  
School Road, Neatishead  
Norfolk  
NR12 8BU  
United Kingdom

FlexiTog EU  
Graandijk 1  
5704 RB Helmond  
Netherlands

Fortdr  
Duisbu  
57234  
Germa

# PRODUCT DATA SHEET



## OVERVIEW

---

- Elastisches Handgelenk – bessere Passform und Komfort, keine kalte Zugluft
- 10 - Gauge - Acrylstrick