



VOLLBESCHICHTETER ICETHERM KÜHLLAGER - HANDSCHUH FG6

Ein mit Frottee gefütterter, beschichteter Handschuh - ideal für Kommissionierer im Kühlager.

Ref: FG6

Variants: S , M , L , XL

Area of use: Cold Store / Freezer -5 to -50°C , Chiller+5 to -5°C

Job role: Picker

Gender: Unisex



Certification 1: EN 388:2016+A1:2018
3 2 3 1 X



Certification 2: EN 511:2006
X 2 X

Updated On: 08/08/2025

PRODUCT DATA SHEET



Weight	0.1 kg
Product Material	Acrylic
Packaging	Cardboard Box
Storage Instructions	Store in a dry place protect against high temperatures and uv rays exposure, once removed from the original packaging, it can be stored in a cupboard.
User Instructions	Keep this item of PPE fastened when in use, for cold protection efficiency. PPE thermal insulation can be affected by an inappropriate cleaning. Do not remove the care label. Make sure the garment is in good condition, undamaged and clean before use. Once you become aware of damage to this item, you should immediately replace it.
CAT	II
DoC	The PPE detailed herein meets the criteria of Article 19(b) Risk Category II: internal production control (module B) set out in Annex V, followed by conformity of type based on internal production control (module C) set out in Annex VI, in accordance with PPE Regulation (EU) 2016/425, (UK only) as brought into UK law and amended Essential Health and Safety Requirements.
Commodity Code	61161020 Gloves, impregnated, coated, covered or laminated with rubber, knitted or crocheted
Country of Origin	Pakistan

Email: sales@flexitog.com
 Phone: +31 174 705 840
 Website: <https://www.flexitog.eu>

FlexiTog UK
 FlexiTog UK Ltd
 The Granary Business Park
 School Road, Neatishead
 Norfolk
 NR12 8BU
 United Kingdom

FlexiTog EU
 Graandijk 1
 5704 RB Helmond
 Netherlands

Fortdr
 Duisbu
 57234
 Germa

OVERVIEW

- Nitrilbeschichtete Handflächen sorgen für besonders starken, langlebigen Griff, die Nitrilbeschichtung verhindert allergische Reaktionen
- Vorteile: Schlingenfutter – Für zusätzliche Wärme und Komfort
- Allergiefreie Nitrilbeschichtung – Keine negativen Reaktionen beim Tragen
- Elastisches Handgelenk – Bessere Passform und Komfort ohne kalte Zugluft
- Nitrilbeschichtete Handfläche – Besonders starke Griffbeschichtung für Langlebigkeit
- Entspricht EN 388:2016 und EN 511:2006

PRODUCT ICONS



STANDARD 100