

PRODUCT DATA SHEET

FlexiTog®



Thermal Anti-Impact Cut Resistant Glove

Thermal Anti-Impact Cut Resistant Glove, specially designed for use in cold conditions.

Ref: 4082100

Variants: 9 , 11 , 10 , 12

Area of use: Cold Weather / Ambient

Gender: Unisex

Updated On: 27/06/2025

Email: sales@flexitog.com
Phone: +31 174 705 840
Website: <https://www.flexitog.eu>

FlexiTog UK
FlexiTog UK Ltd
The Granary Business Park
School Road, Neatishead
Norfolk
NR12 8BU
United Kingdom

FlexiTog EU
Graandijk 1
5704 RB Helmond
Netherlands

Fortdr
Duisbu
57234
Germa

PRODUCT DATA SHEET

FlexiTog®



Email: sales@flexitog.com
Phone: +31 174 705 840
Website: <https://www.flexitog.eu>

FlexiTog UK
FlexiTog UK Ltd
The Granary Business Park
School Road, Neatishead
Norfolk
NR12 8BU
United Kingdom

FlexiTog EU
Graandijk 1
5704 RB Helmond
Netherlands

Fortdr
Duisbu
57234
Germa

PRODUCT DATA SHEET

The logo for FlexiTog, featuring the brand name in a white, bold, sans-serif font on a red rectangular background.

Commodity Code	61161080 Mittens and mitts, impregnated, coated, covered or laminated with plastics or rubber, knitted or crocheted, and gloves, impregnated, coated, covered or laminated with plastics, knitted or crocheted
Country of Origin	China

Email: sales@flexitog.com
Phone: +31 174 705 840
Website: <https://www.flexitog.eu>

FlexiTog UK
FlexiTog UK Ltd
The Granary Business Park
School Road, Neatishead
Norfolk
NR12 8BU
United Kingdom

FlexiTog EU
Graandijk 1
5704 RB Helmond
Netherlands

Fortdr
Duisbu
57234
Germa

PRODUCT DATA SHEET



OVERVIEW

- This Cut Resistant Thermal Glove has an added layer of TPR for maximum impact resistance and high flexibility.
- Specially designed for use in cold conditions.
- Level C cut resistance
- Nitrile micro foam palm gives superior grip and protection against liquids and water penetration.
- Ergonomic design for optimised comfort.
- Greatly reduces risk of work injury to the hand.
- Suited to a wide variety of industries.
- Hook and loop strap for safe secure fit

Content: HPPE, Glass fibre, TPR, Brushed Acrylic, Nitrile

Compliance: EN388 4.X.4.2 and EN511 X.2.X

Colour: Grey/Black/Yellow

Size: 9, 10, 11