

PRODUCT DATA SHEET

FlexiTog®



Rock Fall Silt Thermal Wellington

Non-metallic S5 wellington boot with enhanced cold protection. Fibreglass toecap and composite midsole.

Ref: 730RF290

Variants: 3 (36) , 4 (37) , 5 (38) , 6 (39) , 7 (41) , 8 (42) , 9 (43) , 10 (44) , 11 (46) , 12 (47) , 13 (48)

Area of use: Chiller +5 to -5°C

Gender: Unisex

Updated On: 27/06/2025

PRODUCT DATA SHEET

FlexiTog®



Email: sales@flexitog.com
Phone: +31 174 705 840
Website: <https://www.flexitog.eu>

FlexiTog UK
FlexiTog UK Ltd
The Granary Business Park
School Road, Neatishead
Norfolk
NR12 8BU
United Kingdom

FlexiTog EU
Graandijk 1
5704 RB Helmond
Netherlands

Fortdr
Duisbu
57234
Germa

PRODUCT DATA SHEET

The logo for FlexiTog, featuring the brand name in a white, bold, sans-serif font with a registered trademark symbol, set against a solid red rectangular background.

Commodity Code	64034000 Footwear, incorporating a protective metal toecap, with outer soles of rubber, plastics, leather or composition leather and uppers of leather (excl. sports footwear and orthopaedic footwear)
Country of Origin	China

Email: sales@flexitog.com
Phone: +31 174 705 840
Website: <https://www.flexitog.eu>

FlexiTog UK
FlexiTog UK Ltd
The Granary Business Park
School Road, Neatishead
Norfolk
NR12 8BU
United Kingdom

FlexiTog EU
Graandijk 1
5704 RB Helmond
Netherlands

Fortdr
Duisbu
57234
Germa

PRODUCT DATA SHEET



OVERVIEW

- The Silt Wellington is a highly innovative and robust 100% non-metallic S5 Wellington with enhanced cold protection properties.
- Fibreglass toecap and composite midsole.
- Force10® solid rubber outsole with built in scuff cap.
- Composite toecap and non-metallic midsole.
- Activ-Step® PU anti-fatigue comfort footbed.

Content:

Upper: Waterproof 5mm Neoprene - resistant to -40°C

Lining: Moisture wicking breathable mesh lining

Internal Toecap: Fibreglass

Internal Midsole: Composite

Outsole and Scuffcap: Force10® solid nitrile rubber

Compliance: EN ISO 20345 S5 CI HRO non-metallic SRC

Colour: Blue/Orange

Sizes: 3-13