

PRODUCT DATA SHEET

FlexiTog®



ROCKFALL ALASKA COLDSTORE BOOT

RockFall Alaska Lace up Coldstore Boot with composite toecap suitable for temperatures to -40°C

Ref: 730RFA

Variants: 3 (36) , 4 (37) , 5 (38) , 6 (39) , 7 (41) , 8 (42) , 9 (43) , 10 (44) , 11 (46) , 12 (47) , 13 (48) , 14 (49)

Area of use: Cold Store / Freezer -5 to -50°C

Updated On: 13/06/2025

Email: sales@flexitog.com
Phone: +31 174 705 840
Website: <https://www.flexitog.eu>

FlexiTog UK
FlexiTog UK Ltd
The Granary Business Park
School Road, Neatishead
Norfolk
NR12 8BU
United Kingdom

FlexiTog EU
Graandijk 1
5704 RB Helmond
Netherlands

PRODUCT DATA SHEET

The logo for FlexiTog, featuring the brand name in a white, bold, sans-serif font on a red rectangular background. A registered trademark symbol (®) is located at the top right of the 'g'.

Commodity Code	64034000 Footwear, incorporating a protective metal toecap, with outer soles of rubber, plastics, leather or composition leather and uppers of leather (excl. sports footwear and orthopaedic footwear)
Country of Origin	China

Email: sales@flexitog.com
Phone: +31 174 705 840
Website: <https://www.flexitog.eu>

FlexiTog UK
FlexiTog UK Ltd
The Granary Business Park
School Road, Neatishead
Norfolk
NR12 8BU
United Kingdom

FlexiTog EU
Graandijk 1
5704 RB Helmond
Netherlands

OVERVIEW

- Super lightweight and flexible premium specification lace coldstore boot.
- S3 composite toecap and midsole.
- Thinsulate™ B600 thermal lining CI certified to -40c with unique Fursulate lining for enhanced thermal properties, breathable mid-lining,
- The solid nitrile rubber outsole will prevent the boots from cracking at low temperatures, and the boots benefit from the highest SRC slip resistance available in Europe.
- Spare laces (150cm length) are available to order in packs of 10 pairs.

Content:

Upper:Supple Anti-Cracking Full Grain Leather

Lining:3M Thinsulate B600 Thermal Lining with Breathable Mid-Lining and Fursulate Superior Thermal Insulation Lining

Internal Toecap:Composite

Internal Midsole:Anti-Penetration Composite

Outsole:Flexi Rubber Temperature Resistant to -40°C

Compliance:Exceeds EN ISO 20345 S3 CI -40c HRO non-metallic SRC

Colour:Black

Sizes:3-14