

PRODUCT DATA SHEET

FlexiTog®



Fully-Dipped Icetherm Cold Store Glove

A Terry lined dip coated glove, great for cold store pickers.

Ref: FG6

Variants: S , M , L , XL

Area of use: Cold Store / Freezer -5 to -50°C , Chiller +5 to -5°C

Job role: Picker

Gender: Unisex



Certification 1: EN 388:2016+A1:2018

3 2 3 1 X



Certification 2: EN 511:2006

X 2 X

Updated On: 20/06/2025

PRODUCT DATA SHEET

The logo for FlexiTog, featuring the brand name in a white, bold, sans-serif font on a red rectangular background.

Weight	0.1 kg
Product Material	Acrylic
Packaging	Cardboard Box
Storage Instructions	Store in a dry place protect against high temperatures and uv rays exposure, once removed from the original packaging, it can be stored in a cupboard.
User Instructions	Keep this item of PPE fastened when in use, for cold protection efficiency. PPE thermal insulation can be affected by an inappropriate cleaning. Do not remove the care label. Make sure the garment is in good condition, undamaged and clean before use. Once you become aware of damage to this item, you should immediately replace it.
CAT	II
DoC	The PPE detailed herein meets the criteria of Article 19(b) Risk Category II: internal production control (module B) set out in Annex V, followed by conformity of type based on internal production control (module C) set out in Annex VI, in accordance with PPE Regulation (EU) 2016/425, (UK only) as brought into UK law and amended Essential Health and Safety Requirements.
Commodity Code	61161020 Gloves, impregnated, coated, covered or laminated with rubber, knitted or crocheted
Country of Origin	Pakistan

PRODUCT DATA SHEET

FlexiTog®

OVERVIEW

- Nitrile-dipped palms ensure extra strong, durable grip, while the nitrile coating means that no allergic reactions are experienced by the wearer.
- Benefits Looped lining - For extra warmth and comfort
- Non-allergic nitrile coating - No adverse reactions to glove wear
- Elasticated wrist - Better fit and comfort with no cold draughts
- Nitrile dipped palm - Extra strong grip coating for durability
- Conforms to EN 388:2016 and EN 511:2006.

PRODUCT ICONS



STANDARD 100

Email: sales@flexitog.com
Phone: +31 174 705 840
Website: <https://www.flexitog.eu>

FlexiTog UK
FlexiTog UK Ltd
The Granary Business Park
School Road, Neatishead
Norfolk
NR12 8BU
United Kingdom

FlexiTog EU
Graandijk 1
5704 RB Helmond
Netherlands

Fortdr
Duisbu
57234
Germa