

PRODUCT DATA SHEET

FlexiTog®



Classic Mixed Fibre Liner Glove

A value liner glove, used inside cold store gloves for increased warmth and longevity.

Ref: FG8

Variants: L

Area of use: Cold Store / Freezer -5 to -50°C , Chiller +5 to -5°C

Job role: Driver , Picker

Gender: Unisex



Certification 1: CE
Minimal Risk

Updated On: 01/08/2025

PRODUCT DATA SHEET

The logo for FlexiTog, featuring the brand name in a white, bold, sans-serif font on a red rectangular background.

Weight	0.05 kg
Product Material	Polyester
Packaging	Cardboard Box
Storage Instructions	Store in a dry place protect against high temperatures and uv rays exposure, once removed from the original packaging, it can be stored in a cupboard.
User Instructions	Keep this item of PPE fastened when in use, for cold protection efficiency. PPE thermal insulation can be affected by an inappropriate cleaning. Do not remove the care label. Make sure the garment is in good condition, undamaged and clean before use. Once you become aware of damage to this item, you should immediately replace it.
Colours	Grey
CAT	I
DoC	The PPE detailed herein meets the criteria of Article 19(a) Risk Category I: internal production control (module A) set out in Annex IV, in accordance with PPE Regulation (EU) 2016/425, (UK only) as brought into UK law and amended Essential Health and Safety Requirements.
Commodity Code	61169900 Gloves, mittens and mitts, of textile materials, knitted or crocheted (excl. of wool, fine animal hair, cotton or synthetic fibres, impregnated, coated, covered or laminated with plastics or rubber, and for babies)
Country of Origin	Pakistan

Email: sales@flexitog.com
Phone: +31 174 705 840
Website: <https://www.flexitog.eu>

FlexiTog UK
FlexiTog UK Ltd
The Granary Business Park
School Road, Neatishead
Norfolk
NR12 8BU
United Kingdom

FlexiTog EU
Graandijk 1
5704 RB Helmond
Netherlands

Fortdr
Duisbu
57234
Germa

PRODUCT DATA SHEET



OVERVIEW

- 7 Gauge grey cotton acrylic mix - Harder wearing.
- Elasticated wrist - Better fit and comfort with no draughts.
- Heavily brushed inner - For better heat retention.

Email: sales@flexitog.com
Phone: +31 174 705 840
Website: <https://www.flexitog.eu>

FlexiTog UK
FlexiTog UK Ltd
The Granary Business Park
School Road, Neatishead
Norfolk
NR12 8BU
United Kingdom

FlexiTog EU
Graandijk 1
5704 RB Helmond
Netherlands

Fortdr
Duisbu
57234
Germa